



EXTERIOR CLADDING | Traditional | Castellated | WeatherLap | Battens






A company born from imagination.

PermaTimber® was born from a need for an alternative, clever timber product that is long lasting, easy to install and requires no prep work and little ongoing maintenance. We succeeded in creating the PermaTimber® range, a composite cladding that won't fade, warp or need maintenance work.



Exterior Cladding Range

CX Castellated Cladding Traditional Cladding Batten Range








CX Castellated Cladding

PermaTimber® CX Castellated Cladding displays a ribbed profile and offers the option of a multi trim system (powder-coated aluminum and WPC).

CX Castellated Cladding is pre-finished, providing the classic attractive facade of natural timber without traditional maintenance.

Panels can be installed vertically or horizontally to create the desired appearance. Available in arandom width and standard profile options.






Traditional Cladding

CX Traditional Cladding is pre-finished with a co-extruded finish, providing the classic attractive facade of natural timber without traditional maintenance. Panels can be installed vertically or horizontally to create the desired appearance and are available in an original and WeatherLap profiles.


As a high-performance, co-extruded composite, Traditional Cladding offers the convenience of minimal maintenance and resistance to weathering. Traditional Cladding is also available in non-cumbustible option.



Batten Range

PermaTimber®'s batten range is available in a 40x40mm solid CX profile.

This product has a wide range of applications that compliment both residential and commercial applications.




| Cladding Comparison | | CX Castellated Cladding | | Traditional Cladding | | Batten Range | | | |
|-----------------------------------|-------------------------------|-----------------------------------|--------------------|--------------------------------|--------------------|------------------------|--|--|--|
| All available in original profile | | Standard | Random | Original | Weather- Lap | | | | |
| Certifications & Compliance | CodeMark Certified | ~ | \checkmark | ~ | ~ | ~ | | | |
| | ISO9001 Compliant | ~ | ~ | \checkmark | ~ | ~ | | | |
| Application | Facades & Cladding | ~ | ~ | ~ | ~ | ~ | | | |
| | Eaves & Soffits | ~ | ~ | ~ | ~ | ~ | | | |
| Finish | Prefinished | ~ | ~ | ~ | ~ | ~ | | | |
| Jointing Options | Multi Trim System | ~ | ~ | ~ | ~ | | | | |
| Installation Format | Horizontal | ~ | ~ | ~ | ~ | ~ | | | |
| | Vertical | ~ | \checkmark | ~ | ~ | ~ | | | |
| Dimensions (mm) | Width x Length x Thickness | 200 x 5400 x 28 | 200 x 5400 x 28 | 150 x 5400 x 21 | 150 x 5400 x 21 | Solid 40 x 40 | | | |
| Weight | Weight | 18.5kg per SQM | 18.5kg per SQM | 15.6kg per SQM | 15.6kg per SQM | 2.2 kg/m | | | |
| Fire Protection | Available in BAL19 | ~ | | ~ | | | | | |

| Colour Range | | CX Castellated Cladding | | Traditional Cladding | | Batten Range |
|------------------------|--|-----------------------------------|--------|--------------------------------|-----------------|------------------------|
| * Custom Order | | Standard | Random | Original | Weather- Lap | |
| White | | ✓* | ✓* | ✓* | ✓* | ✓* |
| Argenta | | ✓* | ✓* | ~ | ✓* | |
| French Oak | | ~ | ~ | ~ | ✓* | ~ |
| Sheoak | | ✓* | ~ | ✓* | ✓* | ✓* |
| Tasmanian Oak | | ~ | ~ | ~ | ✓* | ~ |
| Spotted Gum | | ~ | ~ | ~ | ✓* | ~ |
| Ebony | | ~ | ~ | ~ | ✓* | ~ |
| Shou Sugi | | | | ✓* | ✓* | |




Trim System







RW CX Castellated





Original







1300 366 938 info@permacomposites.com 14 Garino Rise Wangara, WA



V5 08112023